

NOT MEASUREMENT
SENSITIVE

MIL-PRF-63013E (TM)
17 July 1997

SUPERSEDING
MIL-C-63013D(TM)
27 February 1992

PERFORMANCE SPECIFICATION
CATALOGS, SUPPLY: SETS, KITS, AND OUTFITS

This specification is approved for use by the Department of the Army and is available for use by all departments and agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification contains requirements for preparation of Supply Catalogs (SC), an illustrated components list and accountability aid for sets, kits, and outfits (SKO) with the exception of medical supply catalogs which are managed by the Surgeon General.

1.2 Applicability. This specification is applicable only to those SKOs that are type classified and are assigned a line item number (LIN) and national stock number (NSN).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Executive Director, USAMC Logistics Support Activity, Acquisition Logistics Center, ATTN: AMXLS-AP, Redstone Arsenal, AL 35898-7466, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC A7277

AREA TMSS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in section 3 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements documents cited in section 3 of this specification, whether or not they are listed.

2.2 Government documents

2.2.1 Specifications. The following specifications form a part of this specification to the extent specified herein. The issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

STANDARDS

DEPARTMENT OF DEFENSE

- | | |
|---------------|--|
| MIL-STD-12 | - Abbreviations for Use on Drawings and in Specifications, Standards, and Technical Documents. |
| MIL-STD-38784 | - Manuals, Technical: General Style and Format Requirements. |

(Unless otherwise indicated, copies of the above standards are available from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.)

2.2.2 Other government documents, drawings, and publications. The following other government documents, drawings, and publications form a part of this document to the extent specified herein. The issues are those cited in the solicitation (see 6.2).

- | | |
|----------------|--|
| DA PAM 710-2-1 | - Controlled Item Inventory Code |
| SB 700-20 | - Army Adopted/Other Items Selected for Authorization/List of Reportable Items |
| SB 708-6 | - Federal Item Name Directory for Supply Cataloging (H6 - A, B) (GSA-FSS-H6) |
| SB-708-43 | - Cataloging Handbook H4/H8 Commercial and Government Entity (CAGE) Sections C & D |

(Copies of pamphlets and bulletins are available from the U.S. Army Publications Distribution Center, 2800 Eastern Blvd, Baltimore MD 21220-2896.)

2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for related associated specifications or specification sheets), the text of this specification takes precedence. Nothing in this specification, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 General. The general style and format of SCs shall be in accordance with MIL-STD-38784 and as specified herein. Data elements provided in the SC and contained in the Army Master Data File (AMDF) shall be in accordance with the latest issue of the AMDF, and the publication date of that issue shall be reflected below the title of section I.

3.2 Figures. Figures referenced in this section shall be used for content, style and formatting of SC data. Portions of the figures, such as dates, actual publication numbers, illustrations, and identification of item managers, etc., are examples and require insertions or changes to make the data pertinent to the specific requirements of the SC.

3.3 Content. Supply catalogs for SKOs shall consist of:

- a. Cover.
- b. Summary of publication change actions.
- c. Section I, introduction.
- d. Section II, illustrated component list/hand receipt.
- e. Section III, NSN/page index (or commercial and government entity code (CAGEC)/part number/page index, when required).
- f. Section IV, loading plan, floor plan, curbside view, and roadside view.
- g. Appendices, when required.
- h. Concluding material.
- i. Supply catalog change page.
- j. Section II change page.

3.3.1 Cover. The cover shall be prepared in accordance with figure 1. All SCs shall have a distribution statement and, if applicable, a destruction notice on the cover as specified by the contracting activity. The cover shall be salmon color on cover stock not less than 80 pounds.

3.3.2 Summary of publication change actions. This page(s) shall appear in all editions subsequent to the first edition of the catalog in accordance with figure 2. It shall include all change actions made to section II since the previous edition. The data shall be listed in page number sequence and in the order that it appears on the page in Section II. Action codes shall be limited to N-New, C-Change, R-Replacement, or D-Deleted. When an NSN is identified with one asterisk, the following note shall be included immediately after the last item: "REMOVE THIS ITEM FROM THE SET AND TURN-IN, IN ACCORDANCE WITH LOCAL SUPPLY PROCEDURES." An NSN identified with two asterisks shall be similarly listed with the statement: "***TRANSFER THIS ASSET TO LIN _____." Revision change actions will contain the following information, when applicable; "TO BRING YOUR SKO TO THIS CURRENT AUTHORIZATION, THIS REVISION RESULTS IN A COST OF \$_____. DETERMINED BY THE AMDF PRICE OF NEW ITEMS (ACTION CODE "N") IN EFFECT AT THE TIME OF PUBLICATION."

3.3.3 Section I, introduction. The section shall be prepared in accordance with figure 3 and shall include the following paragraphs:

- a. General
- b. Purpose
- c. Responsibility
- d. Explanation and use of columns
- e. NSN/page index
- f. Abbreviations
- g. Special information
- h. User accountability instructions
- i. Transportation information
- j. Power requirements
- k. Reporting of errors and recommending improvements

3.3.4 Section II, illustrated component list/hand receipt. This section shall be DA Form 2062-1 prepared in accordance with figures 4 through 6. The header and succeeding continuation pages shall be identified as DA Form 2062-1. Also refer to explanation and use of columns on figure 3. The “FROM”, “TO”, and “HAND RECEIPT” blocks shall be left blank on the header page. The “END ITEM DESCRIPTION” block shall contain the federal item name, as specified in SB 700-20. Unless otherwise specified, each component and subset item shall be illustrated and identified by its NSN in the “ILLUSTRATION/NATIONAL STOCK NUMBER” column. Illustrations shall be two dimensional isometric line drawings. Items listed in the “ITEM DESCRIPTION” column shall be arranged in alphabetical sequence by Federal item name. Subset component parts shall be indented alphabetically under their parent name. Subcomponents separately supplied (“e.g., blades and handles”) shall be listed out of alphabetical order for user clarification. Remarks are notations specifically relating to a component authorization and shall be placed after the item identification. The current accounting requirements code (ARC) and the controlled inventory item code (CIIC) shall be extracted from the Army Central Logistics Data Bank (ACLDB). Columns A through K are for recording the results of eleven separate inventories. When items are deleted, quantity on hand blocks shall be shaded.

3.3.5 Section III, NSN/page index. Unless otherwise specified, an NSN/page index shall be prepared in accordance with figure 7. The index shall cross-reference the NSN of each component item to the page where the item is listed in section II. The NSN/page index shall be prepared in national item identification number (NIIN) sequence; (e.g., the last nine digits of the NSN). A CAGEC/ part number/page index shall be prepared in a similar format, if specified by the contracting activity.

3.3.6 Section IV, loading plan. When SKOs are vehicular or shelter mounted or intended to be installed in organic vehicles or equipment, a loading plan section shall be provided. This section shall be prepared in accordance with figure 8 and shall include the following paragraphs:

- a. General
- b. Loading
- c. Troop installed SKO

This plan shall also contain illustrations depicting floor plan, curbside and roadside views to illustrate the location of all SKO components in the loaded position (see figures 9, 10 and 11).

3.3.7 Appendix A - consumable items. If this appendix is required by the contracting activity, it shall be prepared without illustrations in accordance with figure 12.

3.3.8 Concluding material. The concluding material in the SC shall include an authentication page in accordance with figure 13.

3.3.9 Supply catalog change page. When specified by the contracting activity, the SC change page shall be provided. The change page shall conform to the format of the catalog and shall be prepared in accordance with figure 14.

3.3.10 Section II, change page. This change page shall be prepared in accordance with paragraph 3.3.4 and figure 15.

3.4 Style and format requirements

3.4.1 Page numbering. Page numbers shall be centered at the bottom of each page.

3.4.1.1 Cover numbering. The cover shall not be numbered on the front or the back.

3.4.1.2 Summary of publication change actions page numbering. This page(s) shall be numbered with lower case Roman numerals such as I, ii, iii, etc.

3.4.1.3 Section I, II, III, IV page numbering. Pages in these sections shall be numbered consecutively by Arabic numerals (1, 2, 3, 4, etc.) beginning with 1 and prefixed with the upper case Roman numeral representing the section number. For example, page number II - 6 is the sixth page of section two. The numbering sequence for appendices when used shall be, A - 1, A - 2, etc.

3.4.1.4 Concluding material page numbering. The concluding material pages of the SC shall not be numbered.

3.4.2 Horizontal format. SKO Supply Catalogs shall be prepared in horizontal format (across the broadside of the page).

3.4.3 Page size. Unless otherwise specified, page size shall be 11 x 8 ½ inches.

3.4.4 Standard holes. Standard three hole, 7/16-inch diameter notebook drilling shall be used.

4. VERIFICATION

4.1 Verification. The verification requirements shall be as specified in the contract or order (see 6.2).

5. PACKAGING

5.1 Packaging. For acquisition purposes, packaging requirements shall be as specified in the contract or order (see 6.2). When actual packaging of material is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Department or Defense Agency, or within the Military

Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. This specification is intended for use in the preparation of SCs which contain component lists of sets, kits, and outfits. Catalogs contain technical data covering the components listed and are used for identification/accountability of these components/items by operators and maintenance personnel.

6.2 Acquisition requirements. Acquisition documents should specify the following:

- a. Title, number, and date of this specification.
- b. Supply catalog title and publication number.
- c. Distribution statement and destruction notice (as applicable).
- d. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of referenced documents. (see 2.2.1).
- e. Issues of SB 708-6 and 708-43 exist in microfiche only. DA PAM 710-2-1 is found in the *Unit Supply Update*, issued quarterly. (see 2.2.2).
- f. Optional requirements in this specification, identification of option by name and paragraph number, details of the options.
- g. Verification requirements. (see 4.1)
- h. Packaging requirements. (see 5.1).

6.3 Technical manual acquisition. This specification should be listed on the DD Form 1423, Contract Data Requirements List, in order to acquire the supply catalog described by this specification, except where DOD Federal Acquisition Regulation (FAR) Supplement exempts the requirements for a DD Form 1423.

6.4 Definitions

6.4.1 Sets, kits, outfits (SKO). SKO are assemblages of components, mission specific and common tools in a container (pouch, box, chest, van, trailer or shelter) primarily designed to accomplish a specific mission or maintenance function. SKO are a major item of supply, type classified, configuration controlled by a SC and LIN authorized in accordance with basis of issue plan (BOIP) to organizations under provision of The Army Authorization Documents System (TAADS).

6.4.2 Set. A collection of tools/components used by a group section, squad, platoon or unit usually supplemented by tool kits to perform an organizational mission, type classified, assigned a LIN, and with a unit of issue of Set (SE).

6.4.3 Kit. An assembly of tools/components in a small pouch or box, designed for use and carry by an individual or crew, and type classified with a unit of issue of kit (KT).

6.4.4 Outfit. An assemblage of tools or equipment, type classified with a unit of issue of outfit (OT) assigned a LIN, and may include separately type classified items as a component such as; Pneumatic Tool and Compressor Outfit, Tool Outfit Hydraulic Systems Repair, and Tool Outfit Pioneer Portable Electric Tools.

6.4.5 Supply catalog (SC). The DA publication which is the configuration control document that provides user identification of a SKO and its components. It also provides user supply management data and is an accountability aid.

6.5 Subject term (key word) listing. The following is a list of subject terms that allows for identification of this SC during retrieval searches.

component list
supply catalog
kits
outfits
sets
type classified

6.6 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to extent of the changes.

***SC 4940-95-B14**

DEPARTMENT OF THE ARMY SUPPLY CATALOG

**SETS, KITS AND OUTFITS
SHOP EQUIPMENT
CUTTING AND WELDING: SET 2**

**NSN 4940-00-264-6206
LIN W67843
EIC UC7**

***THIS PUBLICATION SUPERSEDES SC 3470-95-CL-A31, 15 SEPTEMBER 1983, AND
SC 3470-95-CL-A31-HR, 15 SEPTEMBER 1983, INCLUDING ALL CHANGES**

**HEADQUARTERS, DEPARTMENT OF THE ARMY
1 JUNE 1991**

DISTRIBUTION A. Approved for public release; distribution is unlimited.

FIGURE 1. Example of supply catalog cover page.

SUMMARY OF PUBLICATION CHANGE ACTIONS

THE FOLLOWING CHANGES ARE INCLUDED IN THIS PUBLICATION AND THE DATE SHOWN BELOW SHOULD BE USED TO BRING YOUR SET, KIT, OR OUTFIT AND MANAGEMENT RECORDS UP-TO-DATE.

PAGE NO.	NATIONAL STOCK NUMBER	ACTION CODE	TYPE OF CHANGE	PAGE NO.	NATIONAL STOCK NUMBER	ACTION CODE	TYPE OF CHANGE
001	3470-00-264-6206	C	SHOP EQUIPMENT, CUTTING AND WELDING CHANGED FSC FROM 3470 TO 4940 AND SC NUMBER FROM 3470-95-CL-A31 TO 4940-95-B14				
002	3431-00-679-5594	C	CHEST, PARTS, WELDING CHANGED FSC FROM 3431 TO 8115				
N/L	*8120-00-282-8077	D	CYLINDER, COMPRESSED GAS FOR ARGON DELETED				
004	3439-00-255-4577	R	REPLACED BY NSN 3439-00-065-8472				
005	3439-00-065-8472	N	FLUX, BRAZING ADDED				
010	4820-00-281-8190	R	REPLACED BY NSN 4820-00-551-1094				
011	4820-00-551-1094	N	VALVE REGULATING, FLUID PRESSURE ADDED				

* REMOVE THIS ITEM FROM THE SET AND TURN IN, IN ACCORDANCE WITH LOCAL SUPPLY PROCEDURES

TO BRING YOUR SKO TO THIS CURRENT AUTHORIZATION, THIS REVISION RESULTS IN A COST OF \$74.32. DETERMINED BY AMDF PRICE OF NEW ITEMS (ACTION CODE "N") IN EFFECT AT TIME OF PUBLICATION.

FIGURE 2. Example of summary of publication change actions.

SC 4940-95-B14

SECTION I. INTRODUCTION

DATA IN THIS PUBLICATION IS CURRENT IN THE AMDF DATED

1 FEBRUARY 1991

1. GENERAL.

A. THIS CATALOG PROVIDES AN ALPHABETIC LISTING OF ALL COMPONENTS OF THE SHOP EQUIPMENT, CUTTING AND WELDING, SET 2, NSN 4940-00-264-6206, LIN W67843, EIC UCZ, SC 4940-95-B14. (Entry must match data contained in SB 700-20 and AMDF.)

B. THIS CATALOG IS IDENTIFIED BY A FOUR SEGMENT CATALOG NUMBER, THE FIRST SEGMENT, SC, INDICATES SUPPLY CATALOG. THE SECOND SEGMENT IDENTIFIES THE FEDERAL SUPPLY CLASSIFICATION (FSC). THE THIRD SEGMENT IDENTIFIES A TWO DIGIT COMPILER CODE. THE FOURTH SEGMENT IDENTIFIES THE CATALOG SEQUENCE NUMBER.

C. THIS SUPPLY CATALOG IS PUBLISHED TO MEET USER REQUIREMENTS FOR THE IDENTIFICATION OF COMPONENTS, AUTHORIZATIONS AND ACCOUNTABILITY OF THIS SKO. INITIAL DISTRIBUTION AND RESUPPLY OF THIS SUPPLY CATALOG TO PUBLICATIONS ACCOUNT HOLDERS, IS MADE BY THE:

(1) USAAG PUBLICATIONS CENTER, 2600 EASTERN BOULEVARD, BALTIMORE, MD 21220-2896.

(2) STOCKED AND ISSUED BY THE COMPILER. REQUISITION FROM COMMANDER, _____ (Identify Compiler, Office Symbol and address.)

2. PURPOSE.

A. THIS SKO PROVIDES THE NECESSARY COMPONENTS FOR WELDER, MOS 44B, TO PERFORM A VARIETY OF OXY-ACETYLENE WELDING AND CUTTING OPERATIONS. IT IS USED AT ALL LEVELS OF MAINTENANCE. (Enter the specific application of this SKO. Tool Kits should identify user MOS, Shop Sets, unit level, DS/GS users, etc.)

B. THIS CATALOG IS INTENDED AS AN AUTHORIZATION, PROPERTY ACCOUNTABILITY, AND REFERENCE DOCUMENT FOR USE BY TROOPS, DEPOTS, AND SUPPLY ORGANIZATIONS. IF INCOMPATIBILITIES ARE DISCOVERED BETWEEN THIS PUBLICATION AND THE ARMY MASTER DATA FILE (AMDF), THE LATTER WILL GOVERN.

3. RESPONSIBILITY.

A. THE U.S. ARMY ARMAMENT, MUNITIONS, AND CHEMICAL COMMAND (AMCCOM) (Enter Complete Address of Compiler) IS ASSIGNED INVENTORY MANAGEMENT RESPONSIBILITY FOR THIS SKO, AND IS RESPONSIBLE FOR PREPARATION AND MAINTENANCE OF THIS CATALOG. THE U.S. ARMY ORDNANCE CENTER AND SCHOOL, (Enter Complete Address of TRADOC Proponent) IS THE TRADOC PROPONENT OF THIS CATALOG.

B. THIS SKO WILL BE ISSUED COMPLETE INITIALLY UNLESS OTHERWISE INDICATED IN PARAGRAPH 7, SPECIAL INFORMATION.

C. SUBMIT REQUISITIONS FOR REPLACEMENT OF COMPONENTS THROUGH NORMAL SUPPLY CHANNELS.

I - 1

FIGURE 3. Example of section I, introduction.

SECTION I. INTRODUCTION

SC 4940-95-B14

4. EXPLANATION AND USE OF COLUMNS.

THE FOLLOWING INFORMATION IS A BRIEF DESCRIPTION OF THE CONTENTS AND LAYOUT OF DATA PROVIDED THE USER IN SECTION II, FOR AUTHORIZATIONS AND ACCOUNTABILITY OF THIS SKO.

A. ACT (ACTION CODE). SYMBOLS SHOWN IN THE ACTION COLUMN INDICATE THE TYPE OF ACTION TAKEN SINCE THE PREVIOUS CATALOG. THE ACTION CODE SYMBOLS USED ARE DEFINED AS FOLLOWS:

C (CHANGE) - INDICATES A CHANGE IN DATA OTHER THAN NSN, SINCE THE PREVIOUS PUBLICATION.

D (DELETION) - INDICATES THE NSN HAS BEEN DELETED AND NOT REPLACED.

N (NEW) - INDICATES NSN WAS NOT PREVIOUSLY INCLUDED IN THE SKO.

R (REPLACEMENT) - INDICATES THE NSN HAS BEEN REPLACED OR CHANGED.

B. ILLUSTRATION/NATIONAL STOCK NUMBER.

(1) PRODUCTS OF MANUFACTURER'S VARY IN APPEARANCE, THEREFORE, ILLUSTRATIONS ARE GENERIC RATHER THAN EXACT REPRESENTATIONS.

(2) THE STATEMENT "ILLUSTRATION NOT AVAILABLE" INDICATES THAT AN ILLUSTRATION WILL NOT APPEAR.

(3) NATIONAL STOCK NUMBER. AN IDENTIFYING NUMBER ASSIGNED TO ITEMS OF SUPPLY.

C. ITEM DESCRIPTION. THE ITEM DESCRIPTIONS ARE LISTED IN ALPHABETICAL SEQUENCE BY AMDF SHORT NOMENCLATURE, WITH ADDITIONAL DESCRIPTIVE INFORMATION REQUIRED FOR IDENTIFICATION. HOWEVER, THESE DESCRIPTIONS DO NOT ACCOUNT FOR DIFFERENT MANUFACTURER'S DESIGNS OR INCREASE/DECREASE IN SIZE OR LENGTH, AS LONG AS THE COMPONENT IS ABLE TO FUNCTION PROPERLY. MINIMAL SPACE IS PROVIDED WITHIN THE ITEM DESCRIPTION BLOCK TO ALLOW THE USER TO ANNOTATE PERTINENT DATA, I.E., COMPONENT LOCATION OR DOCUMENT NUMBER OF SUPPLY ACTION.

(1) THE FIRST DESCRIPTION SHOWN IS THAT FOR THE SKO. SUBSEQUENT DESCRIPTIONS ARE FOR THE COMPONENTS BY ITEM NAME IN ALPHABETICAL SEQUENCE. SUB-SET COMPONENT PARTS ARE LISTED, USING INDENTURE, UNDER THE COMPONENT IN ALPHABETICAL AND ASCENDING SIZE SEQUENCE.

(2) WHEN A COMPONENT IS SEPARATELY TYPE CLASSIFIED, THE LIN SHALL APPEAR AT THE END OF THE ITEM DESCRIPTION.

(3) COMMERCIAL AND GOVERNMENT ENTITY CODE (CAGEC) AND PART NUMBERS AND/OR THE APPLICABLE SPECIFICATION REFERENCES MAY FOLLOW THE ITEM DESCRIPTION. CAGEC, WHEN CONTAINED IN THE CATALOG, CAN BE CROSS-REFERENCED IN SUPPLY BULLETIN SB 708-43, SECTION A - NAME TO CODE, SECTION B - CODE TO NAME.

D. REMARKS. STANDARD REMARKS, WHEN USED, WILL BE EXPLAINED IN THE ITEM DESCRIPTION BLOCK.

E. ARC (ACCOUNTING REQUIREMENTS CODE). ACCOUNTABILITY STATUS OF ALL ITEM ENTRIES IS INDICATED IN THIS COLUMN BY ONE OF THE FOLLOWING CODES:

N - NONEXPENDABLE ITEMS WHICH ARE NOT CONSUMED IN USE, RETAIN THEIR ORIGINAL IDENTITY

FIGURE 3. Example of section I, introduction - Continued.

SECTION I. INTRODUCTION		SC 4940-95-B14
D - DURABLE	<p>DURING THE PERIOD OF USE, AND REQUIRE THAT ACCOUNTABILITY BE MAINTAINED THROUGHOUT THE LIFE OF THE ITEM.</p> <p>ITEMS WHICH ARE NOT CONSUMED IN USE, RETAIN THEIR ORIGINAL IDENTITY, BUT ARE NOT CATEGORIZED AS NON-EXPENDABLE OR EXPENDABLE.</p>	<p>I. QUANTITY ON HAND. SEE PARAGRAPH 8 FOR EXPLANATION OF COLUMNS.</p> <p>5. NSN/PAGE INDEX.</p> <p>A. THIS INDEX PAGE IS PROVIDED IN SECTION III. THE INDEX IS ARRANGED WITH THE NSN LISTED IN SEQUENCE BY THE NATIONAL ITEM IDENTIFICATION NUMBER (NIIN), WITH THE PAGE IDENTIFIED ON WHICH IT APPEARS.</p>
X - EXPENDABLE	<p>(1) ITEMS REGARDLESS OF TYPE CLASSIFICATION OR UNIT PRICE WHICH ARE CONSUMED IN USE. THIS INCLUDES ALL CLASS IX REPAIR PARTS.</p> <p>(2) ITEMS NOT CONSUMED IN USE, WITH UNIT PRICE OF \$50 OR LESS, NOT CODED, "N" OR "D" IN THE AMDF; OR TOOLS COSTING LESS THAN \$5.</p>	<p>B. IN CASES WHERE COMPILER/USER DETERMINE AN INDEX BY CAGE/CPN OR NATO/NSN IS REQUIRED, AN ADDITIONAL INDEX PAGE WILL BE PROVIDED.</p> <p>6. ABBREVIATIONS.</p> <p>STANDARD ABBREVIATIONS ARE LISTED IN AR 310-50, AUTHORIZED ABBREVIATIONS AND BREVITY CODES, OR MIL-STD-12. (WHEN APPLICABLE, A STATEMENT WILL BE ENTERED "ANY NONSTANDARD ABBREVIATIONS USED IN THIS CATALOG ARE LISTED AND EXPLAINED BELOW.")</p> <p>7. SPECIAL INFORMATION.</p>
F. CIIC (CONTROLLED INVENTORY ITEM CODE). THE CIIC IS IDENTIFIED IN THE AMDF. CONTROLLED INVENTORY ITEMS SHALL BE RECORDED IAW DA PAM 710-2-1.	<p>G. SKO UI (UNIT OF ISSUE). THESE ARE ESTABLISHED STANDARD QUANTITIES IN WHICH AN ITEM OF SUPPLY IS ISSUED AS INDICATED IN THE AMDF. WHEN THE SKO UI DIFFERS FROM THE AMDF UI, (OTHER THAN SUB-SET LISTINGS) THE COMPONENT ITEM RECORD WILL CONTAIN AN APPROVED REMARK INDICATING THAT THE AMDF UI WILL BE USED FOR REQUISITIONING PURPOSES.</p>	<p>A. NONSTANDARD TOOL CONTAINERS SUCH AS ROLLS, BAGS, OR CASES ISSUED WITH TOOL SETS, NOT IDENTIFIED IN THIS PUBLICATION, ARE NOT REQUIRED TO BE REPLACED. THEY MAY BE RETAINED FOR CONVENIENCE OF THE USER UNTIL CONSUMED THROUGH USE.</p> <p>B. COMPONENT ITEM RELATED PUBLICATIONS: (LIST COMPONENT ITEM AND RELATED PUBLICATIONS, WHEN APPLICABLE, OR A STATEMENT WILL BE ENTERED "NO COMPONENT/RELATED PUBLICATIONS HAVE BEEN IDENTIFIED APPLICABLE TO THIS SKO".)</p>
H. QTY AUT (QUANTITY AUTHORIZED). ENTRIES IN THIS COLUMN ARE THE ACTUAL AUTHORIZED QUANTITATIVE REQUIREMENT OF A COMPONENT IN THE SKO.		

FIGURE 3. Example of section I, introduction - Continued.

SECTION I. INTRODUCTION

SC 4940-95-B14

IB 5-4200-200-10 HAND PORTABLE FIRE EXTINGUISHERS

C. ASSOCIATED "ITEMS USED BUT NOT PART OF" THIS SKO. REFERENCE TABLE E-1, AR 71-13, THE DEPARTMENT OF THE ARMY EQUIPMENT AUTHORIZATION AND USAGE PROGRAM.

LIN NOMENCLATURE
A24463 AIR CONDITIONER
G34815 DOLLY TRANSPORTER

8. USER ACCOUNTABILITY INSTRUCTIONS

A. PAGE OF SECTION II, THE HEADER PAGE, (FROM) IDENTIFIES THE ELEMENT FROM WHICH THE PROPERTY IS ISSUED. ENTER THE NAME OF THE ORGANIZATION, UNIT, SECTION OR SQUAD WHICH ISSUES THE PROPERTY.

B. THE BLOCK (TO), IDENTIFIES THE ELEMENT TO WHICH THE PROPERTY IS ISSUED. ENTER THE NAME AND RANK OF THE PERSON RECEIVING THE PROPERTY (PENCIL ENTRY). MTOE/DA PARAGRAPH, LINE NUMBER, AND JOB TITLE MAY BE ADDED AS OPTIONAL INFORMATION.

C. WHEN CONDUCTING INVENTORY, ADDED AUTHORIZED ITEMS MAY BE WRITTEN IN THE SPACE PROVIDED ON THE LAST SHEET. THE PERSON RECEIVING THE PROPERTY WILL ENTER THE SIGNATURE, RANK AND DATE IN APPLICABLE COLUMN A THRU K.

D. THIS CATALOG WILL AID THE PROPERTY ACCOUNTABILITY OF COMPONENTS OF THIS SKO. THOSE ITEMS WITH ACTION CODE "D" (DELETED ITEM) WHICH ARE STILL ON HAND MAY BE ACCOUNTED FOR BY LISTING THEM IN THE SPACE PROVIDED AT THE END OF THE HAND RECEIPT.

E. PEN AND INK CHANGES IN CATALOG DATA (CURRENT AMDF) MAY BE POSTED IN SECTION II TO KEEP YOUR CATALOG CURRENT. THESE CHANGES WILL AUTOMATICALLY BE INCORPORATED IN THE NEXT CATALOG REVISION.

F. QUANTITY ON HAND. THESE COLUMNS ARE FOR THE ACTUAL QUANTITY ON HAND FOR EACH COMPONENT LISTED.

(1) ENTER THE QUANTITY ON HAND, LINE OUT ALL UNUSED BLOCKS WITH COMPONENT LISTED.

(2) ENTER ALL QUANTITIES IN THE NEXT COLUMN (WHEN CONDUCTING INVENTORY). QUANTITIES MUST BE ADVANCED WHEN CHANGING HAND RECEIPT HOLDERS.

(3) THE PERSON RECEIVING THE PROPERTY WILL SIGN, ENTER HIS OR HER RANK, AND DATE THE PROPER QUANTITY COLUMN ON THE LAST PAGE (INK ENTRY).

9. TRANSPORTATION INFORMATION.

THE FOLLOWING INFORMATION IS APPLICABLE TO THIS SKO AND EXCLUDES PACKAGING AND CRATING.

A. TOTAL WEIGHT: 1.129 LBS

B. TOTAL VOLUME: 80.8 CU FT

10. POWER REQUIREMENTS. (Use the applicable statement as follows:)

THERE ARE NO POWER REQUIREMENTS FOR THE OPERATION OF THIS SKO.

AN EXTERNAL POWER SOURCE IS REQUIRED TO SUPPORT THIS SKO. THE POWER REQUIREMENTS ARE:

(1) ELECTRICAL

VOLTS	PHASE	HZ	AMP	WATTS
_____	_____	_____	_____	_____

FIGURE 3. Example of section 1, introduction - Continued.

SECTION I. INTRODUCTION

SC 4940-95-B14

(2) PNEUMATIC/HYDRAULIC
OPERATING PRESSURE FLOW RATE

B. MAIL YOUR TOOL IMPROVEMENT PROGRAM SUGGESTIONS (TIPS) TO: COMMANDER, USAFISA, ATTN: MOFI-TED-E (TIPS), BLDG 2588, FT BELVOIR, VA 22060-5587.

ADEQUATE MOTIVE POWER AUTHORIZED AS A COMPONENT OF THIS SKO IS REQUIRED TO MAINTAIN SKO'S TACTICAL MOBILITY.

C. IF YOU HAVE RECOMMENDATIONS TO IMPROVE THE QUALITY, PERFORMANCE OF THE SET OR HAVE NOTED DEFECTIVE COMPONENTS, SUBMIT SF 368, QUALITY PRODUCT DEFICIENCY REPORT, DIRECT TO THE SOURCE OF SUPPLY IDENTIFIED IN THE AMDF.

11. REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS.

A. YOU CAN HELP IMPROVE THIS SUPPLY CATALOG. IF YOU FIND ANY MISTAKES, KNOW OF A WAY TO IMPROVE THE INFORMATION, OR HAVE RECOMMENDATIONS TO IMPROVE COMPONENTS OR COMPONENT MAKE-UP, PLEASE LET US KNOW. MAIL YOUR DA FORM 2028 (RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS) DIRECT TO, **(Insert Name of Compiler)**.

D. ACCUMULATED COMMENTS AND RECOMMENDATIONS WILL BE EVALUATED AS PART OF THE SKO/SC REVIEW PROCESS AS DIRECTED BY SKO POLICY.

FIGURE 3. Example of section I, introduction - Continued.

SECTION II. ILLUSTRATED COMPONENTS LIST/HAND RECEIPT <i>For use of this form, see Section I. The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT:																
END ITEM STOCK NUMBER 4940-00-264-6206	END ITEM DESCRIPTION SHOP EQUIPMENT, CUTTING AND WELDING	PUB NUMBER SC 4940-95-B14	PUB DATE 1 JUNE 1991	LINE ITEM NUMBER W67843																
A C T	ILLUSTRATION NATIONAL STOCK NUMBER	C I C	SKO QTY UI AUT	QUANTITY ON HAND																
C	4940-00-264-6206	A	B	C	D															
	8120-00-264-5531	E	F	G	H															
	7920-00-282-9246	I	J	K																
	<p>SHOP EQUIPMENT, CUTTING AND WELDING: SET 2 SC 4940-95-B14 LIN W67843 EIC UC7 87281 CONSISTS OF:</p>																			
	<p>8120-00-264-5531</p>  <p>ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTION: BRS. FOR ACETYLENE GAS, 0.880-14NGO LH FIRST END, 0.825-14NGO RH SEC END, 3/16 IN. DIA PASSAGE, 3.150 IN. LG. W/HEX WRENCHING FEATURE USE CURRENT NSN UNTIL EXHAUSTED THEN ORDER NSN XXXX-XX-XXX-XXXX.</p>																			
	<p>7920-00-282-9246</p>  <p>BRUSH WIRE, SCRATCH: STL WIRE, STR SHOE HDL, RECT FACE, 1-1/8 IN. TO 1-1/4 IN. LG OF WIRE CLEAR OF BLOCK, 4 ROWS W, 16 ROWS LG 4-3/4 IN. TO 5-1/2 IN. LG BRUSH PART, 10 TO 10-1/2 IN. LG OA</p>																			

DA FORM 2062-1

II - 1

FIGURE 4. Example of section II header page.

SECTION III. NSN/PAGE INDEX	
NSN	PG
5120-00-061-8546	005
3439-00-065-8472	005
4720-00-223-7380	004
4730-00-224-7323	007
3439-00-246-0566	008
3439-00-255-4577	004
3439-00-255-8943	008
8120-00-264-5531	001
4940-00-264-6206	001
8420-00-268-3360	003
8415-00-268-7859	005
5120-00-277-8299	011
5120-00-278-0352	007
4820-00-281-8190	010
7920-00-282-9246	001
5210-00-287-3335	008
3433-00-294-6743	009
8120-00-357-7992	003
3439-00-383-3634	003
3439-00-403-0970	002
5120-00-494-1895	002
4240-00-540-2424	006
4240-00-540-2428	006
4820-00-551-1094	011
4820-00-641-3519	011
8115-00-679-5594	002
4240-00-816-3819	005
4820-00-828-7190	010
4820-00-828-7192	010
4730-00-828-8800	007
4210-00-889-2221	004
5120-00-965-0326	006
5120-00-965-0603	004
4240-01-003-1117	006
3920-01-113-0117	009

III - 1

FIGURE 7. Example of section III. NSN/page index.




FIGURE 8. Example of section IV, loading plan.





FIGURE 9. Example of section IV, floor plan.



IV - 3

FIGURE 10. Example of section IV, curbside view.




FIGURE 11. Example of section IV, roadside view

SC 4940-95-B14

By order of the Secretary of the Army:

CARL E. VUONO
General, United States Army
Chief of Staff

Official:

MILTON H. HAMILTON
Administrative Assistant to the
Secretary of the Army

Distribution:

TO BE DISTRIBUTED IN ACCORDANCE WITH DA FORM 12-21A, BLOCK 623

FIGURE 13. Example of authentication page.

SC 4940-95-B14
DEPARTMENT OF THE ARMY SUPPLY CATALOG

SETS, KITS AND OUTFITS
SHOP EQUIPMENT
CUTTING AND WELDING: SET 2


NSN 4940-00-264-6206
LIN W67843
EIC UC7

HEADQUARTERS, DEPARTMENT OF THE ARMY
1 JUNE 1991
CHANGE 1, 1 DECEMBER 1991

POST THIS CHANGE TO YOUR SUPPLY CATALOG BY:

1. INSERT THIS PAGE BETWEEN THE FRONT COVER AND THE SUMMARY OF CHANGE PAGE.
2. INSERT PAGE 3.1 (ENCLOSED) IN THE PROPER SEQUENCE.
3. MAKE THE FOLLOWING PEN AND INK CHANGES:
 - A. INDICATE "CHANGE 1 POSTED (DATE) _____", AND INITIAL FRONT COVER.
 - B. ADD TO SUMMARY OF CHANGE PAGE; PAGE 3.1, NSN 5120-00-449-7499, ACTION CODE N, TYPE OF CHANGE, ADD: ROLLER, HAND.
 - C. NSN INDEX, ADD NIIN & PAGE NUMBER 3.1.

FIGURE 14. Example of supply catalog change page.

END ITEM STOCK NUMBER 4940-00-264-6206		END ITEM DESCRIPTION SHOP EQUIPMENT, CUTTING AND WELDING		PUB. NUMBER SC 4940-95-B14		PUB. DATE 1 JUNE 1991		LINE ITEM NUMBER W67843												
A C T	ILLUSTRATION NATIONAL STOCK NUMBER 5120-00-449-7499	ITEM DESCRIPTION	C A R C	S K O Q T Y U I A U T	QUANTITY ON HAND															
					A	B	C	D	E	F	G	H	I	J	K					
N		ROLLER, HAND; S, BALL BRG TYPE, FL STYLE FACE, SM SURFACE, 2 IN. WD . 2 IN. DIA MIL-S-45179(81349)	D	M	EA	02														

CH 1/1 DEC 91

II - 3.1

FIGURE 15. Example of section II change page.

DA FORM 2062-1

MIL-PRF-63013E (TM)

INDEX

	<u>PARA</u>	<u>PAGE</u>
Acquisition requirements	6.2	7
Appendix A - consumable items	3.3.7	5
Applicability	1.2	1
Applicable documents	2	2
Changes from previous issue	6.6	8
Concluding material page numbering	3.4.1.4	6
Concluding material.	3.3.8	6
Content.	3.3	3
Cover numbering	3.4.1.1	6
Cover	3.3.1	4
Definitions	6.4	8
Figures	3.2	3
General requirements	3.1	3
General applicable documents	2.1	2
Government documents.	2.2	2
Horizontal format	3.4.2	6
Intended use	6.1	7
Kit	6.4.3	8
Notes	6	7
Order of precedence	2.3	3
Other government documents, drawings, and publications	2.2.2	2
Outfit	6.4.4	8
Packaging	5.	6
Packaging requirements	5.1	7
Page numbering	3.4.1	6
Page size	3.4.3	6
Requirements	3	3
Scope	1.1	1
Section I, II, II, IV page numbering	3.4.1.3	6
Section I, introduction	3.3.3	4
Section II, change page	3.3.10	6
Section II, illustrated component list/hand receipt	3.3.4	5
Section III, NSN/page index	3.3.5	5
Section IV, loading plan	3.3.6	5
Set	6.4.2	8
Sets, kits, and outfits (SKO)	6.4.1	8
Specifications	2.2.1	2
Standard holes	3.4.4	6
Style and format requirements	3.4	6
Subject term (key word) listing	6.5	8
Summary of publication change actions page numbering	3.4.1.2	6

INDEX

	<u>PARA</u>	<u>PAGE</u>
Summary of publication change actions	3.3.2	4
Supply catalog change page	3.3.9	6
Supply catalog (SC)	6.4.5	8
Technical manual acquisition	6.3	7
Verification	4.	6
Verification requirements	4.1	6

MIL-PRF-63013E (TM)

CONCLUDING MATERIAL

Custodian:
Army - TM

Preparing Activity:
Army - TM

Review activities:
Army - AT, CR, EA, MI, SC

(Project No. A320)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing agency must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE

1. DOCUMENT NUMBER
MIL-PRF-63013 (TM)

2. DOCUMENT DATE (YYMMDD)
970717

3. DOCUMENT TITLE

CATALOGS, SUPPLY: SETS, KITS, AND OUTFITS

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*

b. Organization

c. ADDRESS *(Include ZIP Code)*

d. TELEPHONE *(Includes Area Code)*

7. DATE Submitted
(YYMMDD)

(1) Commercial

(2) AUTOVON *(If applicable)*

8. PREPARING ACTIVITY

a. NAME

USAMC Logistics Support Activity

b. TELEPHONE *(Include Area Code)*

(1) Commercial

(205) 955-9843

(2) AUTOVON

DSN 645-9843

c. ADDRESS *(Include ZIP Code)*

ATTN: AMXLS-AP

Redstone Arsenal, AL 35898-7466

IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT :

Defense Quality and Standardization Office
5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466
Telephone (703) 756-2340 AUTOVON 289-2340